

The effect of Jupiter's Mass Growth on Satellite's Capture

Othon Cabo Winter

Ernesto Vieira Neto

Tadashi Yokoyama

Grupo de Dinâmica Orbital & Planetologia

UNESP - Guaratinguetá and Rio Claro

Acknowledgments: FAPESP, CNPq and CAPES

Satellites

REGULAR

Equatorial : $i \approx 0$ (prograde)

Circular: $e \approx 0$

close to the planet : $a < 100R_{planet}$

IRREGULAR

Inclined : $i \gg 0$ (many are retrograde)

Elliptic: $e \gg 0$

far from the planet : $a \gg 100R_{planet}$

Satellites

REGULAR

Equatorial : $i \approx 0$ (prograde)

Circular: $e \approx 0$

close to the planet : $a < 100R_{planet}$

==> Formed within a proto-planetary disc

IRREGULAR

Inclined : $i \gg 0$ (many are retrograde)

Elliptic: $e \gg 0$

far from the planet : $a \gg 100R_{planet}$

Satellites

REGULAR

Equatorial : $i \approx 0$ (prograde)

Circular: $e \approx 0$

close to the planet : $a < 100R_{planet}$

==> Formed within a proto-planetary disc

IRREGULAR


Inclined : $i \gg 0$ (many are retrograde)

Elliptic: $e \gg 0$

far from the planet : $a \gg 100R_{planet}$

==> Planetesimal captured by the planet

Irregular Satellites




Numerology

Planet	Regular	Prograde	Retrograde
Jupiter	8	7	50
Saturn	19	7	7
Uranus	18	1	8
Neptune	6	3	4


Capture Process

- **First Stage:**
Temporary Gravitacional Capture
- **Second Stage:**
Dissipative Effects: conversion of a temporary capture into a permanent one:
 - gaseous drag,
 - planetary migration,
 - mass variation,
 - ...

Temporary Capture




Capture by L_1




Capture by L_2

Mass Variation Effect




Escape/Capture Condition




Evolution of the semi-major axis

Jeans Relation




Prograde



Retrograde


Escape/Capture Time

10^3 years - Prograde




Escape/Capture Time

10^4 years - Prograde




Escape/Capture Time

10^5 years - Prograde




Escape/Capture Time

$$M(a, e) = k_0 + k_1 a + k_2 e + k_3 a^2 \quad - \quad \text{Prograde}$$




Escape/Capture Condition - PROGRADE




Escape/Capture Time

10^3 years - Retrograde




Escape/Capture Time

10^4 years - Retrograde




Escape/Capture Time

10^5 years - Retrograde






Escape/Capture Time





$$M(a, e) = k_0 + k_1 a + k_2 e + k_3 a^2 + k_4 e^2 \text{ Retrograde}$$




Escape/Capture Condition -RETROGRADE



Prograde versus Retrograde



Prograde versus Retrograde



Prograde versus Retrograde

